



CTIDEA

OEM/ODM MANUFACTURER

Computer and Computer Peripherals

Cultural Concept

The company adheres to the corporate philosophy of "morality is reflected in everything, and professional excellence comes from diligence", based on the business philosophy of "leading technology, paying attention to customers, and paying attention to details".

- To be an excellent supplier for customers
- Provide high-quality and cost-effective products and services to customers
- To be the preferred manufacturer of PC products for various customers

CTIDEA

HUILIAN CLOUD TECHNOLOGY (SHENZHEN) CO., LTD

Factory Add: No. 1001, Senhainuo Technology Building, No.1
Dezheng Road, Shilong Community, Shiyan Street,
Bao'an District, Shenzhen, China

Website: www.hvlanyn-computer.com/www.ctidea.com

Email: annie@huiliancloud.cn


Desktop Computer


AIO Computer


MINI PC


Laptop


Monitor

HUILIAN CLOUD TECHNOLOGY (SHENZHEN) CO., LTD

www.hvlanyn-computer.com/www.ctidea.com

We are Professional
OEM/ODM Manufacturer



**Company
Products**

Desktop computer Office/
Gaming monitor

All in one computer



MINI PC



Laptop



COMPANY PROFILE

Huilian Cloud Technology(Shenzhen) Co., Ltd was founded in 2017. Our factory mainly specializes in design, R&D, sales and production of all-in-one computers, desktop tower computers, mini PCs, laptop, monitor and other computer peripherals, as well as do import and export of computer products and technologies. We support OEM/ODM manufactured service for lots of well-know brands for domestic & oversea clients' brands.

Our factory consists of office area 600m², production lines and warehouses covering an area of 3,000m². We have our professional design, manufacturing and technical service teams, scientific management concept, advanced testing device, reliable QC process, stable product performance and complete supporting facilities effectively guarantee that customers can receive high-quality products and excellent pre-sales and after-sales services. Our factory owns 2 full automated production lines and 4 fixed production lines, 4 full automated loop aging test lines. Our production capacity up to 40,000pcs to 45,000pcs per month.

Huilian Cloud has gathered a group of professional talent with over ten years of industry experience and technical development capabilities. We attach great importance to technologies research and development, and have obtained over 28 software copyright, over 10 patents in related fields, as well as over 20 products certification. Continuously polishing product quality and striving for excellence, we have passed quality certification systems such as ISO9001, ISO4001,CE, FCC and CCC.



COMPANY HONOR

28^项
Software
copyright

10⁺
Technical
invention patent

100⁺
Enterprise
honor

20⁺
Products
certification



CORPORATE ENVIRONMENT



X86、ITIA、AMD、ARM Manufacturer

SPECIALIZED IN OEM/ODM



All in one computer

OEM/ODM MANUFACTURER



Model No:
21.5 Inch:AIOW2203
23.8 Inch:AIOW2403



simple-to-install, removable, movable and height adjustable base

Press hidden type
Camera



Support touch screen



Specification:

Screen size	21.5 Inch , 23.8 Inch
Screen specs	Resolution : 1920*1080 ,ips screen, viewing angle : 178°/178° , Brightness : 250cd/m², refresh rate : max.75hz
CPU	Intel i3-10100/i3-12100/i5-12400/12450h/i7-12700/i7-13620h or higher
Motherboard type	Mini -itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128gb/256gb/512gb/1tb/2tb ssd sata, expansion hdd no more than 2tb
Discrete graphic card size	N/a
Graphics card	Integrated graphics card
Network	Wireless : wifi +bluetooth Ethernet : 1000m rj45
I/O Ports	Side port : usb2.0*2 Bottom : dc*1,hdmi out*1, vga*1,usb 3.0*4,vrj45*1, mic in*1, line out*1
Power supply	Dc 19v
Camera	Support 3mp/5mp camera for optional(press hidden type)
Optial drive	N/a
Materials	Plastic shell +metal base stand
Color	Shell: black/white+ silver metal base stand
Product size	21.5 inch :515*374*157mm (including base) ; 23.8 inc:541*403*157mm (including base) , Hidden camera height +20mm
Package size	593*170*382 mm
Optional form	Support height adjustable base, wall mounted



Press hidden type camera



Model No:
21.5 Inch:AIOY2201
23.8 Inch:AIOY2401

height adjustable &
rotating base



Plug-in type Camera(installed on top) or at the bottom
with fixed camera



Specification:

Screen size	21.5 Inch , 23.8 Inch
Screen specs	Resolution : 1920*1080 ,ips screen, viewing angle : 178°/178°, Brightness : 250cd/m², refresh rate : max.75hz
CPU	Intel i3-10100/i3-12100/i5-12400/12450h/i7-12700/i7-13620h or higher
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	N/A
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0), SD card*1, Type C*1 Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	Support 3MP/5MP camera for optional(Press hidden type or Plug-in type)
Optial drive	Support optical drive
Materials	Plastic shell +Metal Base
Color	White / black
Product size	21.5 inch :490*390mm (including stand)/ 23.8 inch:540*410mm
Package size	595*150*470MM
Optional form	Support height adjustable & rotating base, wall mounted(VESA 100x100)



Model No.:
AIOY2402

Press hidden type camera



Rear cover
With brushed



Support
touch screen

Wireless charge for mobile phone



Plug-in type Camera(installed on top)
or at the bottom with fixed camera




rear cover with holes

Specification:

Screen size	23.8 Inch
Screen specs	Resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178°, Brightness : 250cd/m², refresh rate : Max.75Hz
CPU	Intel I3-10100/I3-12100/I5-12400/12450H/I7-12700/I7-13620H or higher
Motherboard type	Mini -Itx no more than 170*190mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	175*70*25mm
Graphics card	Integrated graphics card (optional Discrete graphic card)
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0), SD card*1, Type C*1 Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	Support 2MP/ 3MP/5MP camera for optional(Press hidden type or Plug-in type)
Optical drive	Support optical drive
Materials	Plastic shell +Metal Stand
Color	Black / white
Product size	541*143*52.4mm (including stand)
Package size	600*145*475mm
Optional form	wall mounted(VESA 100x100)



Model No.:
AIOY2402 pro



Specification:

Screen size	23.8 Inch
Screen specs	Resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178° , Brightness : 250cd/m ² , refresh rate : 60Hz
CPU	Intel I3-10100/I3-12100/I5-12400/I7-12700 or higher
Motherboard type	Mini -Itx no more than 170*190mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	175*70*25mm
Graphics card	Integrated graphics card (optional Discrete graphic card)
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0), micro SD card*1, Type C*1 , Audio Bottom : DC*1,HDMI OUT*1, VGA/COM*1,USB 3.0*4,RJ45*1, Audio, Kensington Lock
Power supply	DC 19V
Camera	Support 2MP/ 3MP/5MP camera for optional(Press hidden type or Plug-in type)
Optial drive	Support optical drive
Materials	Plastic shell +Metal Stand
Color	Black / white
Product size	541*143*52.4mm (including stand)
Package size	610*170*530mm
Optional form	Support height adjustable & rotating base, Wall mounted(VESA 100x100)



Model No.:
21.5 Inch: AIOY2205 23.8 Inch: AIOY2405



Model No.:AIOQ2701



Specification:

Screen size	21.5 Inch /23.8 Inch
Screen specs	Resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178°, Brightness : 250cd/m², refresh rate : 60Hz
CPU	Intel I3-10100/I3-12100/I5-12400/12450H/I7-12700/I7-13620H or higher
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	N/A
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0) Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,RJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	N/A
Optial drive	N/A
Materials	Plastic shell +Metal Stand
Color	White
Product size	21.5 Inch: 494*371mm (including stand), 23.8 Inch :541*407mm (including stand)
Package size	600*145*475mm
Optional form	/


Specification:

Screen size	27 Inch, Curvy Screen
Screen specs	Resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178°, Brightness : 250cd/m², refresh rate : Max 75Hz
CPU	Intel core I5-12400/I5-13420H/I7-12700/I7-13620H/I7-13500/Ultral 9-185H
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	175*70*25mm
Graphics card	Integrated graphics card (optional Discrete graphic card)
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0) Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	optional use external camera with USB cable connected
Optial drive	N/A
Materials	Plastic shell +Metal Stand
Color	Black
Product size	613*440mm(height including base stand), base stand width 330mm
Package size	690*220*520
Optional form	/



Model No.:

21.5 Inch: AIOY2206 23.8 Inch: AIOY2406



Specification:

Screen size	21.5 Inch/ 23.8 Inch
Screen specs	resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178° , brightness : 250cd/m ² , refresh rate : Max 75Hz
CPU	Intel core I5-12400/I5-13420H/I7-12700/I7-13620H or higher
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	N/A
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0) Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	Press hidden type camera or USB/Type C Plug-in type rotating Camera
Optial drive	Support DVD-RW
Materials	Plastic shell +Metal Stand
Color	Black
Product size	21.5":490*293mm/23.8": 541*322mm(not including base stand)
Package size	550*175*435mm(21.5")/610*175*470mm(23.8")
Optional form	Can be customized transfer bracket,wall mounted VESA:100*100mm



Model No.:

21.5 Inch: AIOY2206pro

23.8 Inch: AIOY2406pro

Press hidden type camera



Plug-in type rotating Camera

Height adjustable
& rotating



The screen can rotate freely to
meet the needs of different visual angle

Specification:

Screen size	21.5 Inch/ 23.8 Inch
Screen specs	resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178°, brightness : 250cd/m ² , refresh rate : Max 75Hz
CPU	Intel core I5-12400/I5-13420H/I7-12700/I7-13620H or higher
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	N/A
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0) Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	Press hidden type camera or Plug-in type rotating Camera
Optical drive	Support DVD-RW
Materials	Plastic shell +Metal Stand
Color	Black
Product size	21.5":490*293mm/23.8": 541*322mm(not including base stand)
Package size	550*175*435mm(21.5")/610*175*470mm(23.8")
Optional form	Can be customized transfer bracket,wall mounted VESA:100*100mm



Model No.:AIOY2701pro

Height adjustable & rotating base



Adjustable screen with angle 5°-10°
1k/2k/4k FHD resolution and excellent color
performance offer a wider viewing

Model No.:AIOY2701



Specification:




Screen size	27 Inch
Screen specs	resolution : 1920*1080 ,IPS screen, viewing angle : 178°/178° , brightness : 250cd/m ² , refresh rate : 60Hz
CPU	Intel core I5-12400/I5-13420H/I7-12700/I7-13620H/I7-13500/ultra 9-185H or higher
Motherboard type	Mini -Itx 170*170mm
Memory	DDR4/DDR5
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	200*64*16mm
Graphics card	Integrated graphics card (optional Discrete graphic card)
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Side port : USB2.0*2(optional USB3.0) Bottom : DC*1,HDMI OUT*1, VGA*1,USB 3.0*4,vRJ45*1, MIC IN*1, LINE OUT*1
Power supply	DC 19V
Camera	Press hidden type camera
Optial drive	DVD-RW
Materials	Plastic shell +Metal Stand
Color	Black/white
Product size	616*368mm*463(including base stand)
Package size	690*175*525mm
Optional form	/

All in one computer

OEM/ODM MANUFACTURER



Model No.:
AIOQ3401
34 Inch Curved



Specification:

Screen size	34 Inch
Screen specs	21:9 Ultra wide screen, resolution:3440*1440P, VA screen, viewing angle:178°/178°, brightness:250cd/m ² , refresh rate:165Hz, curvature:1500R
CPU	Intel core i5-12400F/i7-12700/i7-13620H/i7-13500/Ultral 9-185H or higher
Motherboard type	Mini -Itx 170*170mm/170*190mm
Memory	DDR4/DDR5, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB/1TB/2TB SSD SATA, expansion HDD no more than 2TB
Discrete graphic card size	250*137*37mm
Graphics card	Integrated graphics card (optional Discrete graphic card)
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O Ports	Bottom : PBP HDMI in*1, PBP DP in*1, DC*1,HDMI OUT*1, HDMI OUT*1, USB 3.0*4,RJ45*1, AUDIO IN*1/OUT*1
Power supply	DC 19V
Camera	Support USB connect external camera
Optial drive	N/A
Materials	Plastic shell +Metal Stand
Color	white/black
Product size	808*491*244mm
Package size	890*270*458MM
Optional form	V type easy removable, height adjustable & rotating base

Ultra wide 21:9 /4K/165HZ/1500R curved screen

MINI PC Series

Model No.:A105A



Specification:

Screen size	112.2*112.2*37mm
Capacity	0.46L
CPU	Intel Celeron N100, 4 cores 4 threads base;turbo 3.4GHz
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	USB *4 (front: USB 3.0*2, rear: USB 2.0*2), Type-C *2(data transfer+charging+ DP), Audio 3.5mm*1, DC*1, HDMI Type A1.4B *2
Power supply	DC 12V/3A
Materials	Top & bottom case: plastic+ middle part: aluminium
Color	Black/grey/silver/gold
Package size	232*150*65mm

OEM/ODM MANUFACTURER



Model No.:A103B



Specification:

Screen size	195*195*30mm
Capacity	1.5L
CPU	Intel Celeron N5095
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	DC*1;HDMI*1;VGA*1;USB3.0*4 RJ45*1;USB2.0*2;Audio OUT*1 ; MIC IN*1
Power supply	DC 12V/3A
Materials	Plastic
Color	Grey
Package size	378*253*85 mm

MINI PC Series

OEM/ODM MANUFACTURER



Model No.:A101A

Model No.:A201A

Support controller or smart voice control to turn on/off the PC,support expandable storage and hidden USB.



Wall mounted

Desktop base



Specification:

Screen size	196*184*42.5mm(including desktop base)
Capacity	1.5L
CPU	Intel core I5-13400,10 cores 16 threads, base:2.5GHz, Turbo 4.6GHz
Motherboard type	Mini -Itx 170*170mm
Motherboard	H610
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA, expansion HDD no more than 2TB
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	DC*1;HDMI*1;VGA*1;USB3.0*4 RJ45*1;USB2.0*2;Audio OUT*1 ; MIC IN*1
Power supply	DC 19V/4.74A
Materials	Chassis: metal
Color	Black
Package size	378*253*85 mm
Optional form	Desktop base or wall mounted

Specification:

Screen size	197*197*36mm
Capacity	1.2L
CPU	Intel core I5-12450H,8 cores 12 threads, base:2.0GHz, Turbo 4.4GHz
Motherboard	12450H
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Graphics card	Integrated graphics card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	DC in*1 (type C);HDMI*2;USB3.0*2, RJ45*1; type C*2;Audio *1
Power supply	DC 20V/5A
Materials	Chassis: metal
Color	Grey
Package size	378*253*85 mm
Optional form	/

Desktop computer Series

OEM/ODM MANUFACTURER



Model No.:D6001



CPU: Inte I3-10100/I3-12100/I5-12400/I5-13400/I7-12700
Capacity: 6L
Memory: DDR4/DDR5, dual slot, single slot max. 32GB
Hard disk: M.2 2280 128GB/256GB/512GB SSD SATA
Motherboard type: Mini -Itx 170*170mm
Graphics card: Integrated graphics card
Expansion harddisk: 2.5" Hard disk*1
Product size: L225*W95*H298 MM
Package size: 417x208x320mm



Model No.:D8001
Front USBX6 Rear USBX6



Specification:

CPU	Intel core I5-13400,10 cores 16 threads, base:2.5GHz, Turbo 4.6GHz
Capacity	8L
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Motherboard	H610
Graphics card	Integrated graphic card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*4, USB3.0*2, Type C*1, Audio*1, MIC*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	N/A
Power supply	TFX 200W
Expansion slot	1*PCI-Ex16 4.0,1*PCI-Ex1
Expansion hardisk	3.5" hard disk*1; 2.5" hard disk*1
Materials	Chassis: metal
Color	Black
Product size	302.5(L)x95(W)x332(H)mm
Package size	460(L)*175(W)*475(H)mm



Model No.:D2211

Model No.:D1301



Specification:


CPU	Intel core I5-12450H,8 cores 12 threads, base:2GHz, Turbo 4.4GHz
Capacity	8L
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Motherboard	12450H
Graphics card	Integrated graphic card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB3.0*1, USB2.0*2, Audio*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,2*USB2.0, 4*USB3.0,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	Support 9.5MM optical drive
Power supply	TFX 200W
Expansion slot	1*PCIEx16 ,2*PCIEx1
Expansion hardisk	3.5" hard disk*1; 2.5" hard disk*1
Materials	Chassis: metal
Color	Black
Product size	295(L)x92(W)x340(H)mm
Package size	460(L)*175(W)*475(H)mm

Specification:

CPU	Intel core I3-12100,4 cores 8 threads, base:3.3GHz, turbo:4.3GHz
Capacity	13L
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 128GB/256GB/512GB SSD SATA
Motherboard	H610
Graphics card	Integrated graphics card; Support Discrete graphic card GT730-2G, graphic card type:GDDR5, 64bit, consumption:38W
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*2 USB3.0*2, Audio*1 MIC*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	Support 9.5MM optical drive
Power supply	TFX 200W
Expansion slot	PCIE×16*2, PCIE×8*1
Expansion hardisk	3.5" hard disk*1; 2.5" hard disk*1
Materials	Chassis: metal
Color	Black
Product size	389(L)*102W*338(H)mm
Package size	460(L*175(W)*475(H)mm



Model No.:D2217



256G 8G

Specification:

CPU	Intel core i3-12100,4 cores 8 threads, base:3.3GHz, turbo:4.3GHz
Capacity	13L
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 512GB/1TB SSD SATA / PCIE
Motherboard	H610
Graphics card	Integrated graphics card; Support Discrete graphic card 1030-4G, graphic card type:DDR4, 64bit, consumption:30W
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*1, USB3.0*2, SD card slot*1, Micro SD card slot*1, Audio*1 MIC*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	Support 9.5MM optical drive
Power supply	TFX 200W
Expansion slot	PCIE4.0×16*1, PCIE*1
Expansion hardisk	3.5" hard disk*1; 2.5" hard disk*1
Materials	Chassis: metal
Color	Black
Product size	304(L)*163W*349(H)mm
Package size	457(L*235/W)*470(H)mm

Model No.:D1501



Specification:

CPU	Intel core i5-13400F,10 cores 16 threads, base:2.5GHz, turbo:4.6GHz
Capacity	15L
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 256GB/512GB/1TB SSD SATA / PCIE
Motherboard	H610
Graphics card	Integrated graphics card; Support Discrete graphic card GTX1660-6G, graphic card type:GDDR6, 192bit, consumption:125W
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*1, USB3.0*1, Type C*1, Audio*1 MIC*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	Support for optional
Power supply	ATX 300W
Expansion slot	PCIE3.0×16*1, PCIE3.0×8*1, PCIE3.0*1
Expansion hardisk	3.5" hard disk*1; 2.5" hard disk*1
Materials	Chassis: metal
Color	Black
Product size	389(L)*102W*338(H)mm
Package size	460(L*175/W)*475(H)mm



Model No.:D2219



Model No.:MT360

Gaming PC



Specification:

CPU	Intel core I7-13700F,16 cores 24 threads,base:2.1GHz, turbo:5.2GHz
Capacity	22L
Memory	8GB-DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 512GB/1TB SSD SATA / PCIE
Motherboard	H610
Graphics card	Integrated graphics card; Support Discrete graphic card GTX4060-8G
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*2, USB3.0*2, SD card slot*1, Micro SD card slot*1, Audio*1 MIC*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	Support 5.25mm optioal drive
Power supply	ATX 300W
Expansion slot	PCIE16*2, PCIE8*1, PCIEx1*1
Expansion hardisk	3.5" hard disk*2; 2.5" hard disk*2
Materials	Chassis: metal
Color	Black
Product size	382(L)*175W*377(H)mm
Package size	460(L*250/W)*465(H)mm

Specification:

CPU	Intel core I7-13700F,16 cores 24 threads,base:2.1GHz, turbo:5.2GHz
Capacity	36L
Memory	32G-DDR5-4800MHz, dual ram slot, each slot max.32GB
Hard disk	M.22280 1TB SSD NVME protocol
Motherboard	B760
Graphics card	Discrete graphic card RTX4070, graphic type:GDDR6X -12GB,192 Bit, spped:21 Gbps
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	Front: USB2.0*2, USB3.0*1, Audio*1 Rear:AC*1;DP*1 HDMI*1 VGA*1, PS/2,4*USB2.0,2*USB3.2,1*RJ45, MIC IN+LINE IN*1+LINE OUT*1
Optical drive	N/A
Power supply	ATX 750W
Expansion slot	PCIEx16 4.0*1, PCIE8*1, PCIEx1*1
Expansion hardisk	3.5" hard disk*2; 2.5" hard disk*1
Materials	Chassis metal+tempered glass
Color	Black/ white
Product size	425(L)*188W*432(H)mm
Package size	460(L)*210(W)*485(H)mm
Heat dissipation & fan	Top : 120MM*3 or 140MM*2,Rear : 120MM*1,Side : 120MM*2,Bottom : 120MM*3 Top: 360MM liquid cooler

Monitor Series

OEM/ODM MANUFACTURER



Model No.:21.5 Inch:H2205BS
23.8 Inch:H2409BS 27 Inch:H2709BW



Specification:

Cpanel size	21.5 Inch/23.8 Inch/27 Inch
Panel type	IPS screen
Resolution	1980*1080
Refresh rate	75HZ
Brightness(Typical)	220nits
Contrast Ratio(Static)	3000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 90%
Interface Port	VGA+HDMI
VESA	75*75
Power	12V 2.5A
Product size	with stand:L394*W284 *H284MM (21.5")/ 539.82x140x406.53MM(23.8")/L614*W363.8 *H450.5MM(27")
Package size	L555 *W105 *H380MM(21.5")/595*123*390 MM(23.8")/ L690*W132*H450MM(27")
Color	Grey
Stand Function	Forerake 5°, Fadeaway 15°
Stand type	V type & Round type Stand for optional

Model No.: 21.5 Inch:V2205BS
23.8 Inch:V2409BS 27Inch:V2709BS



Specification:

Cpanel size	21.5 Inch/23.8 Inch/27 Inch
Panel type	IPS screen
Resolution	1980*1080
Refresh rate	75HZ
Brightness(Typical)	220nits
Contrast Ratio(Static)	3000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 90%
Interface Port	VGA+HDMI
VESA	75*75
Power	12V 2.5A
Product size	with stand: L463.7*W363.1 *H463.7MM (21.5")/ L542*W321.3 *H410.5MM(23.8")/L613.9*W363.1 *H463.7MM(27")
Package size	L560 *W155 *H395MM(21.5")/L560*W127*H395 MM(23.8")/ L695*W137*H454 MM(27")
Color	Black
Stand Function	Forerake 5°, Fadeaway 15°
Stand type	Round type Stand



Model No.:V2409BW



Model No.:2K H2709GW /1K H2709EW



Specification:

Cpanel size	23.8 Inch
Panel type	IPS screen
Resolution	1980*1080
Refresh rate	75HZ
Brightness(Typical)	220nits
Contrast Ratio(Static)	1000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 99%
Interface Port	VGA+HDMI+USB 2.0 UP*1,USB2.0 DOWN*1
VESA	75*75 or 100*100
Power	12V 2.5A
Product size	with stand: L542*W321 *H410.5MM
Package size	L599*W160*H376 MM
Color	Black
Stand function	Height adjustable

Specification:

Cpanel size	27 Inch
Panel type	IPS screen
Resolution	2560*1440(2K) /1920*1080
Refresh rate	75HZ /165HZ
Brightness(Typical)	200cd/㎡, Max 250cd/㎡
Contrast Ratio(Static)	1000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 100%/sRGB 90%
Interface Port	VGA+HDMI
VESA	N/A
Power	12V 2.5A
Product size	with stand:L613.9*H463.1MM
Package size	TBA
Color	Black
Stand Function	Forerake 5°, Fadeaway 15°
Stand type	Square type Stand



Model No.:V3209JWS



Specification:

Cpanel size	31.5 Inch
Panel type	IPS screen
Resolution	3840*2160(4K)
Refresh rate	165HZ
Brightness(Typical)	250cd/m ² , Max 270cd/m ² (-20d)
Contrast Ratio(Static)	1000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 100%
Interface Port	VGA+HDMI
Power	12V 2.5A
Product size	with stand:L613.9*H463.1MM
Package size	TBA
Color	Grey
Stand Function	Forerake 5°, Fadeaway 15°, height adjustable , rotation 90°

Model No.:V3401



Specification:

Cpanel size	34 Inch
Panel type	IPS screen
Resolution	3840*2160(4K)
Curvature	1500R
Refresh rate	165HZ
Brightness(Typical)	Max 350cd/m ²
Contrast Ratio(Static)	4000 : 1
Viewing angle	178°/178°
Response Time	5ms
SRGB	sRGB 100%
Interface Port	2*HDMI+2*DP+1*AUDIO
Power	12V 5A
Product size	with stand:L810 *W365 *H365MM
Package size	L965 *W190 *H488
Color	Black
Stand Function	Forerake 5°, Fadeaway 30°, Height adjustable, ration 90°

Notebook computer series

OEM/ODM MANUFACTURER



Model No.: 14 Inch:S1140 16 Inch: S1160
15.6 Inch:S1156 17.3 Inch:S1173



Specification:

Cpanel size	14 Inch/15.6 Inch/16 Inch/17.3 Inch
Panel	IPS screen, 16:9, resolution:1920*1080
CPU	Intel core I5-12450H, Base 2.0Ghz, Turbo 4.4Ghz, 8 cores 12 threads
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 256GB/512GB/1TB SSD SATA/PCIE
Graphics card	Integrated graphic card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	USB3.2*3(gen1 ,5Gbps), Type-c full function, HDMI*1, LAN port RJ45*1, Memory Card Slot:1x micro SD scard up to128GB, headphone jack*1, DC*1
Power supply	DC 20V/5A
Expansion hardisk	Support 1*M.2 SSD
Materials	Plastic case
Color	Grey
Product size	332*209*19.9MM(14")/357.4*228*19.9MM(15.6")
Package size	462*277*64MM

Notebook computer series

OEM/ODM MANUFACTURER



Model No.:15.6 Inch:S2156

For Gaming/Graphic design

Model No.:W052-AMD



Specification:

Cpanel size	15.6 Inch
Panel	IPS screen, 16:9, resolution:1920*1080
CPU	Intel core i7-12650H, Base 2.3Ghz, Turbo 4.7Ghz, 10 cores 16 threads
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 256GB/512GB/1TB SSD SATA/PCIE
Graphics card	Integrated graphic card
Network	Wireless : WIFI +Bluetooth Ethernet : 1000M RJ45
I/O ports	USB3.2*3(gen1 ,5Gbps), Type-c full function, HDMI*1, LAN port RJ45*1, Memory Card Slot:1x micro SD scard up to128GB, headphone jack*1, DC*1
Power supply	DC 20V/5A
Expansion hardisk	Support 1*M.2 SSD
Materials	Full plastic or A case metal, CBD case plastic or A&D case: metal, B & C:plastic
Color	Grey
Product size	361.7*251*17MM
Package size	462*277*64MM

Specification:

Cpanel size	16 Inch
Panel	2.5K , FHD/QHD, 165Hz / sRGB 100%
CPU	AMD Ryzen™ 7 8845HS, Base 3.8Ghz, Turbo 5.1Ghz, 8 cores 16 threads
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	2* NVME M.2 2280 PCIE4: 512GB
Graphics card	NVIDIA RTX4060 AD103 8GB(GDDR6)
Network	Wireless : WIFI 6 +Bluetooth 5.2 Ethernet : 1000M RJ45
I/O ports	Kensington lock,Physical lock connector x1;USB Type-C x2 (Data Transfer only); USB 2.0x1,USB3.1 *2;3.5mm headset jack(2-in-1)x1 SD/SDHC/SDXC, UHS-I speed x1; Mini DP 1.4 x1;HDMI 2.1 x1 ;RJ45 x1; DC x1
Power supply	DC 20V*11.5A, 230W
Expansion hardisk	Support 1*M.2 SSD
Materials	A aluminum alloy + B PC+C/D Plastic
Color	Black/white
Product size	357.2x 261.5x 31.8MM
Package size	490*93*335MM

Notebook computer series

OEM/ODM MANUFACTURER



For Gaming/Graphic design
Model No.:HW6-N7L



For Gaming/Graphic design
Model No.:HW5-R7L



Specification:

Cpanel size	15.6 Inch
Panel	2560*1440,100% <i>s</i> RGB/165Hz/IPS/QHD
CPU	Intel core I7-13620H, Base 2.4Ghz, Turbo 4.9Ghz, 10 cores 12 threads
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 1TB SSD PCIE
Graphics card	RTX4060 8G GDDR6(105W),GPU Direct
Network	Wireless : WIFI +Bluetooth 5.2 Ethernet : 1000M RJ45
I/O ports	DC*1,1*USB3.1 Gen 2(Type-C,Support DP1.4),3*USB3.1 Gen 1(Type-A)1*HDMI2.1, 1*Headphone microphone two-in-one output ports,1*RJ45
Power supply	DC 20V/9A 180W
Expansion hardisk	Support 1*M.2 SSD
Materials	Plastic case
Color	Black
Product size	358.9*257.6*26.5MM
Package size	490*98*335MM

Specification:

Cpanel size	15.6 Inch
Panel	1920*1080,45% ntsc/144Hz/IPS
CPU	Intel Core I7-12650H, Base 2.3Ghz, Turbo 4.7Ghz, 10 cores 16 threads
Memory	DDR4, dual slot, single slot max. 32GB
Hard disk	M.2 2280 1TB SSD PCIE
Graphics card	RTX3050 4G GDDR6
Network	Wireless : WIFI +Bluetooth 5.2 Ethernet : 1000M RJ45
I/O ports	1*Headphone jack, 2-in-1 output port,1* Microphone port,,1 HDMI2.1, 1*USB2.0,1*USB3.2 Gen 1(TypeA),1*USB3.2 Gen 2(TypeA),1*USB3.2 Gen 2(Type-C), 1*DC,1* Mini DP1.4,1* Kensington Lock,1*RJ45
Power supply	DC 19.5V/7.7A or 20V/7.5A
Expansion hardisk	Support 1*M.2 SSD
Materials	Plastic case
Color	Black
Product size	361*257.6*26.5MM
Package size	490*93*335MM